

Operating Instructions

Affinity Chromatography Media Cellufine Amino

Description


Cellufine Amino is a primary amine activated support for the covalent immobilization of carboxyl containing proteins and ligands. As with all Cellufine products, the base support consists of spherical cellulose beads which exhibit superior rigidity and chemical stability relative to classical agarose media. Such mechanical strength allows for improved throughput at both the bench scale and on the production floor. The exclusion properties of Cellufine Amino are similar to those of 4 % agarose gels. Furthermore, due to the robust internal structure and chemical linkage, immobilized ligands show no appreciable leakage. With the use of a condensation agent, ligands (protein, etc.) can be easily coupled via the reactive amine moiety.

Physical-Chemical Characteristics

Support matrix	cellulose
Particle shape	spherical
Particle diameter (µm)	ca. 120 – 210
Active group	Primary amine (- NH ₂)
Amino density (µM/ml)	15 - 20
Protein capacity (mg/ml)	Up to 40
MW exclusion limit (kD)	4,000
Density (ml/g-damp medium)	1.3
Operating pressure	< 1 bar (14.5 psi)
Supplied	suspension in 20 % EtOH

Coupling

The coupling of the ligands having carboxyl groups to Cellufine Amino proceeds via the reaction below:



Materials

- Coupling buffer: 0.1 M NaCl, adjusted to pH to 4.5 ± 0.5 with HCl.
- Carbodiimide condensation agents: the most common is 1-ethyl-3-(dimethylaminopropyl) - Carbodiimide hydrochloride (EDAC). EDAC is water soluble and most suitable for ordinary coupling reactions. Another reagent which can be used is dicyclohexylcarbodiimide (DCC). However, this reagent generates a water insoluble byproduct which requires an organic solvent (e.g. EtOH) for removal.
- Ligand solution: typically, 1 – 20 mg/ml in coupling buffer. After the ligand solubilizes, check that the pH is 4.5 ± 0.5 . If multiple concentrations are being evaluated, vary by 5 mg/ml intervals.

Note: total mass coupled will be directly related to concentration.

General Procedure

Perform the following in a suitable mixing vessel.

1. Estimate the required volume of medium.
2. Wash the medium with 5 volumes of coupling buffer. This is accomplished by suspending the medium in the buffer and allowing to sit for several minutes, then decant and discard the buffer supernatant. Repeat 2 times.
3. Add the ligand solution at a 1:1 volume ratio (settled medium: ligand solution). This will form a total slurry volume approximately double the original volume of medium.
4. Based on total slurry volume, add solid EDAC to a concentration of 10 mg EDAC/ml slurry. Stir or swirl solution of EDAC and medium slurry to ensure solubilization.
5. Gently stir for 5 hours at room temperature.
6. Wash 3 times with 5 volumes of chromatographic adsorption buffer (e.g., 20 mM sodium phosphate/0.1 M NaCl).

Column Packing

1. Calculate volume required for the desired bed dimension, keeping in mind that some compression of the bed will occur during column packing.
2. Prepare a 40 – 60 % (v/v) slurry with the appropriate adsorption buffer.
3. With outlet closed, pour the slurry into column. Depending on the volume, a filler tube may be necessary.
4. With the inlet open to release air, insert and affix the top adjuster assembly at slurry interface.
5. Open the column outlet and begin pumping adsorption buffer at rate at least 20 % higher than the operational flow rate.
6. After the bed stabilizes, close the column outlet. Then with the inlet open, reposition the

end cell on top of the bed.

Operating Guidelines

General Operation

1. Wash column with 5 bed volumes of elution buffer.
2. Equilibrate with 5 bed volumes of adsorption buffer.
3. Load sample.
4. Wash with 5 bed volumes of adsorption buffer.
5. Elute sample with 5 bed volumes of elution buffer

Recommended Buffers

Conditions will depend on the ligand used. However, the following mobile phases are generally useful for immuno-affinity chromatography.

Elution buffer: 0.1 M glycine, pH 3.5

Sample Preparation and Load

Prepare a 1 – 10 mg/ml solution of sample in adsorption buffer. Remove insoluble material by centrifugation or microfiltration.

Flow Rate

The recommended linear velocity range for Cellufine Amino is 20 – 150 cm/h.

Chemical and Physical Stability

The stability of the coupled gel will be limited by the ligand. However, the base medium is stable to most salts, detergents, chaotropic agents, 0.1 N NaOH, 0.1 N HCl and can be autoclaved at 121°C for 30 minutes, (pH 7.0).

Regeneration

The regeneration protocol will depend on ligand stability. In some cases, a few bed volume washes with elution buffer containing 0.1 % Tween®20 or Triton® X-100 will be sufficient. A similar wash with 6 M urea can also be effective.

Storage

Cellufine Amino should be stored at 2 – 8 °C in 20 mM phosphate, 20 % EtOH, 0.1 M NaCl, pH 7.2 containing 0.02 % sodium azide (assuming that the coupled ligands is stable under

such conditions).

Shelf Lifetime:

5 years from date of manufacture

Product Ordering Information (Catalogue No.)

Media type	Pack Size				
	10ml	50ml	500ml	5 lt	10 lt
Cellufine Amino	676 945 324	19856	19857	19858	676 945 335
Cellufine Formyl	676 944 324	19853	19854	19855	676 944 335

JNC CORPORATION

Life Chemicals Launch Office

2-1, Otemachi 2-Chome, Chiyoda-ku, Tokyo 100-8105, Japan

Phone +81-3-3243-6150, Fax+81-3-3234-6219,

E-mail: cellufine@jnc-corp.co.jp

<http://www.jnc-corp.co.jp/fine/jp/cellufine>

TERMS AND CONDITIONS OF SALE

1. **Acceptance**-Buyer's placement of this order shall create a contract subject to and expressly limited by these terms and conditions. Acceptance may only be made on the exact terms and conditions hereof and if additional or different terms are proposed by Buyer, such response shall constitute a counteroffer. **THE TERMS OF THIS CONTRACT SHALL SUPERSEDE ANY CONFLICTING TERMS CONTAINED ON BUYERS PURCHASE ORDER OR ANY DOCUMENT OR INSTRUMENT SUBMITTED BY BUYER.**

2. **Prices, Taxes and Payment** - All prices are firm unless otherwise agreed to in writing. JNC Corporation reserves the right to change the prices and specifications of its Products at any time without notice. Any tax, duty, custom or other fee of any nature imposed upon this transaction by any federal, state or local governmental authority shall be paid by Buyer in addition to the price quoted or invoiced. In the event JNC Corporation is required to prepay any such tax, Buyer will reimburse JNC Corporation. Payment terms shall be net 30 days after shipment by JNC Corporation. An interest charge equal to 1½% per month (18% per year) will be added to invoices outstanding beyond 30 days after shipment. In addition JNC Corporation reserves the right to require C.O.D. payment terms from any Buyer whose account is overdue for a period of more than 60 days or who has an unsatisfactory credit or payment record. JNC Corporation may also refuse to sell to any person until overdue accounts are paid in full.

3. **Delivery and shipment** - JNC Corporation will make every effort to ship the Products or provide the services hereunder in accordance with the requested delivery date, provided, that JNC Corporation accepts no liability for any losses or for general, special or consequential damages arising out of delays in delivery. Shipment of all Products shall be F.O.B. point of distribution by JNC Corporation; identification of the Products shall occur when they leave JNC Corporation's point of distribution, at which time title and risk of loss shall pass to Buyer. All shipment costs shall be paid by Buyer and if prepaid by JNC Corporation the amount thereof shall be reimbursed to JNC Corporation.

4. **Inspection** - Buyer shall be responsible for inspecting all Products shipped hereunder prior to acceptance, provided, that if, Buyer shall not have given JNC Corporation written notice of rejection within 30 days following shipment to Buyer, the Products shall be deemed to have been accepted by Buyer.

5. **Disclaimer of Express and Implied Warranties** - The Products shall be covered by the applicable JNC Corporation standard warranty. **NO OTHER EXPRESS OR IMPLIED WARRANTY IS MADE WITH RESPECT TO THE PRODUCTS. JNC CORPORATION EXPRESSLY EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE.** Any model or sample furnished to the Buyer is merely illustrative of the general type and quality of goods and does not represent that the Products will conform to the model or sample. Buyer's remedies under JNC Corporation's warranty shall be limited to repair or replacement of the Product or component which failed to conform to JNC Corporation's warranty. **JNC Corporation shall not be liable for any consequential damages or economic loss or property damage incurred by Buyer.**

6. **Returned Goods** - No Products shipped under this contract may be returned without the express prior authorization of JNC Corporation. All returns of Products are subject to a restocking charge. No returns will be authorized after 120 days following shipment to Buyer.

7. **Technical Advice** - JNC Corporation may, at Buyer's request, furnish technical assistance, advice and information with respect to the Products if and to the extent that such advice, assistance and information is

conveniently available. It is expressly agreed that there is no obligation to provide such information which is provided without charge at the Buyer's risk and which **is provided subject to the disclaimers set forth in paragraph 5 above.**

8. **Agents, etc.** - No agent, employee or other representative has the right to modify or expand JNC Corporation's standard warranty applicable to the Products or to make any representations as to the Products other than those set forth in JNC Corporation's product literature and any such affirmation, representation or warranty, if made, should not be relied upon by Buyer and shall not form a part of this contract.

9. **Fair Labor Standards** - JNC Corporation represents that the Products or services provided hereunder were produced and/or performed in compliance with the requirements of all sections of the Fair Labor Standard Act of 1938, as amended.

10. **Equal Employment Opportunity** - JNC Corporation is an Equal Opportunity Employer. It does not discriminate in any phase of the employment process against any person because of race, color, creed religion, national origin, sex, age, veteran or handicapped status. The JNC Corporation Equal Opportunity Certificate, which is mailed annually to all vendors and vendees, is incorporated into this contract by reference.

11. **Modifications, Waiver, Termination** - This contract may be modified and any breach hereunder may be waived only by a writing signed by the party against whom enforcement thereof is sought.

12. **Governing Law** - This contract shall be governed by and construed in accordance with the laws (other than those relating to conflict of laws questions) of the Commonwealth of Japan.

13. **Arbitration** - Any and all disputes or controversies arising under, out of or in connection with this contract or the sale or performance of the Products shall be resolved by final and binding arbitration in Tokyo under the rules of the Japan Arbitration Association then obtaining. The arbitrators shall have no power to add to, subtract from or modify any of the terms or conditions of this contract. Any award rendered in such arbitration may be enforced by either party in either the courts of the Commonwealth of Japan District Court for the District of Japan, to whose jurisdiction for such purposes JNC Corporation and Buyer each hereby irrevocably consents and submits.